

Terms & Conditions

- 01. Metal certificate should be furnished vouching for the type of metal issued in manufacturing the item.
- 02. Relevant ISO certification should be attached.
- 03. Form 28 duly completed must be attached.
- 04. Each item should be quoted complete. Part quotation will be not considered.
- 05. Rates for plates should be quoted as per plate & not as per holes.
- 06. Samples must be supplied for each item along with the tender. The samples will be retained till the supply is effected.
- 07. Affidavit that the firm has not been blacklisted in the past by any hospital/organization.
- 08. Affidavit that similar supply has not been effected at lower rates to any Government Hospital/Institution.
- 09. Quotation supplied directly by the Manufacturer or authorized distributor.

The Tender will be summarily rejected if any one of the above conditions are not met with.

Sl. No.	Name of the Items	Description	Dimensions	Quantity
OT -NON CONSUMABLES				
1.	Hand drill , with 1.quick coupling 2.universal chuck	With 2 speed , double gear type		4
2.	AO Drill Bits with quick coupling ends	a) 2mm, length100mm, usable length 75mm		10
		b) 3.2mm length 145mm usable length120mm		10
		c) 3.2mm length 195mm usable length 170mm		10
		d) 4.5mm length 145mm usable length 120mm		10
		e) 4.5mm length195mm usable length 170mm		10
		f) 2.5mm length 110mm usable length 85mm		10
		g) 3.5mm length 195mm usable length 170mm		10

		h) 3.5mm length 100mm usable length 85mm		10
		i) 2.5mm length 180mm usable length 155mm		10
3.	Instrument set for AO large distractor consisting of	Schanz screws 5mm dia, 150 mm long 4 Nos		1
		Schanz screws 5mm dia, 200 mm long 4 Nos		1
		Schanz screws 5mm dia, 175 mm long 4 Nos		1
		Combination Wrench 11mm dia 140mm long 1 no		1
		Pin Wrench 4.5 dia, 120 mm length 1 no		1
		Universal chuck with T handle cannulated, 160mm lon 1 no		1
		Drill sleve 5/3.5mm length 110mm, 1 no		
		Drill sleve 6/5mm long 1 no		
		Trocar 3.5mm dia, 120 mm long 1 no		
		Threaded rod 14mm dia, 480 mm length 1 no		
		Threaded rod 14mm dia, 330 mm length 1 no		
		knurled Nut thread 14mm dia 3 nos		
		Sliding carriage with adjusting nut 1 no		
		double joint with adjusting nut 1 no		
		Holding sleve with wing screws length 55mm 2 nos		
Holding sleve with wing screws length 105mm 2 nos		1		
4.	Instrument set AO medium distractor	a) Threaded rods 12mm dia 360mm length		1
		b) Threaded rods 12mm dia length 260mm		1

		c)Nut knurled thread 12mm dia, 3 nos		1
		d)Sliding carriage with adjusting nut 1no		1
		e)Double joint with adjusting nut 1no		1
		f)Holding sleeve with wing screw 45mm length, 2 no		1
		f)Holding sleeve with wing screw 85mm length, 2 no		
	Instrument set AO Small Distractor	Distraction and compression of small bones, span between the inner kirchner wires 10 to 40mm, Accommodates two kirschner wires of 2.5mm dia. On either side no 292.250 with trocar tip or no 292.750 with threaded tip		
5	Plier cum wire bender and cutter 9"	a)Small, for wires upto 1.5mm	Length 160mm	4
		b)Large ,with double action multiplicator	Length 250mm	4
		c)Long for wires upto 1.25mm diam	Length 230mm	4
		d)Short for wires upto 1.25mm	Length 175mm	4
6	Ordinary drill bit	Double fluted and triple fluted – Lenth-75mm	1 mm	15
			1.5mm	15
			2 mm	15
			2.5 mm	15
			2.7 mm	15
			3.2mm	15
			3.5mm	15
			4 mm	15
			5 mm	15
6.5 mm	15			
7	Bone core biopsy needle set			

8	Vertebral biopsy needle set			2 set each
9	Basic pelvic instrumentation set	A)Sterilization tray consisting of lower sterilizing tray		1
		B)Insert for instruments		1
		C)Holder for drill bits		1
		D)Drill bits with quick coupling 3.5mm		1
		E)Drill bits with quick coupling 3.5mm	Length 100mm/Usable Length 85mm	1
		F)Drill bits with quick coupling 4.5mm	Length 195mm/Usable Length 170mm	1
		E)Drill bits 3 flute with quick coupling 4.5mm	Length 195mm /Usable Length 170mm	1
		F)Drill bits 3 flute with quick coupling with depth marking 2.5 mm (L ength 230mm/ Usable Length 205mm)	Length 195mm /Usable Length 170mm	1
		F1)3.2 mm (Length 230mm/Usable Length 205 mm	Length 195mm /Usable Length 170mm	1
		G)Drill bits for jacob's chuck 3.2mm (Length 130mm / Usable Length 115)		1
		H) 3.2mm (Length 180mm / 165mm Usable Length)		1
I) 4.5mm (Length 130mm / Usable Length 115)		1		

J) 4.5mm (Length 180mm / Usable Length 165)		1
K) Tap 3.5 mm (Length 175 and 110mm) THREAD LENGTH 50MM		1
L) Tap 4.5 MM SCREWS (L 125mm and 175mm) thread length 70mm		1
M) Screw driver shaft hexagonal small with quick coupling for 2.7 to 4mm screws	Length 100mm	1
N) Screw driver hexagonal small with groove with holding sleeve	L 200mm holding sleeve length 80mm	1
O) Screw driver shaft hexagonal large L 100mm		1
P) Screw driver with universal joint large length 290mm		1
Q) Screw driver hexagonal large length 300mm		1
R) Bending iron for reconstruction plate		1
S) Bending pliers for reconstruction plate length 240mm		1
T) Depth gauge measuring range 110mm		1
U) Bending template for st. Recon plate, length 262mm for 3.5mm plate		1
V) Bending template for curved recon plate , bending radius 100mm		1
W) Bending template for 4.5 mm recon plate , Length 255mm		1
X) Pelvic osteotomy chisel, length 304mm , 20mm wide with fibre handle		1

		Y) Pelvic osteotomy chisel, 15mm wide , length 304mm with fibre handle		1
10	Pelvic reduction instrumentation set	a) Sterilizing tray with lower sterilizing tray		1
		b) Bone hook sharp medium length130mm		1
		c) Bone hook sharp large with metal handle (L 200mm)		1
		d) Ball spike with ball tip (L 300mm)		1
		e) Anchoring hook small Length 30mm		1
		f) Anchoring hook large 30mm length		1
		g) Anchoring ring 20mm dia		1
		h) Pelvic retractor blunt , length 270mm		1
		i) Pelvic reduction forceps oblique small with pointed ball tip and speed lock 190mm length		1
		j) Pelvic reduction forceps oblique large with pointed ball tip and speed lock, 240mm length		1
		k) Pelvic reduction forceps asymmetrip with pointed ball tip and speed lock 400mm length		1
		l) Pelvic reduction forceps small for use with 3.5mm and 4.5mm screws, L 200mm		1
		m) Pelvic reduction forceps large adjustable with speed lock for fixation with two 4.5 mm cortical screws L 330mm		1
		n) Pelvic reduction forceps with angled pointed ball tip straight with speed lock ,L 250mm		1
o) Disc spiked for pelvic reduction forceps		1		

		p) Pelvic reduction forceps long with pointed ball tip with speed lock, Length 400mm		1
		q) Pelvic reduction forceps long with three pointed ball tip		1
		r) Pelvic reduction large with points with ratchet lock, length 200mm		1
11	Broken screw removal set	a) 3.5 mm		1 set
		b) 4.5 mm		1 set
12	Tendon stripper	Open type, straight and curved, long and short		1
		Straight and curved		1
		long and short		1
13	Osteotomes - Swedish Model	Straight -10 mm		2 set
		Staight - 15mm		2 set
		Straight - 20mm		2 set
		Straight - 25mm		2 set
		Straight - 30mm		2 set
		Curved -10mm		2 set
		Curved - 15mm		2 set
		Curved - 20mm		2 set
		Curved -25mm		2 set
		Curved - 30mm		2 set
GENERAL NON-CONSUMABLE ITEMS				
1	Knee Retractor	Smillies knee joint retractor set of six		2 sets
2	Bristows periosteum elevator (for	18mm wide 305mm len		4 Nos

	spine)			
3	Burford-Finochietto Rib spreader curved arms with two sets of interchangeable blades	1) 70mm x 64mm		2
		2) 64mmx5mm		2
4	Pliers with side cutters for wire upto 2.5mm chromium plated with “Hammer on” end	178mm (7’)		6 nos
5	Plate bending press			2 nos
6	Screw boxes 4.5mm			10 nos
	Screw boxes 3.5mm			10 nos
7	Cancellous ‘T’ tap 4.0mm			10 nos
	Cancellous ‘T’ tap 6.5mm			10 nos
8	Cortical ‘T’ tap 3.5mm			10 nos
9	Hair drier for cleaning Cannulated Instruments			1 set
10	Ultra fine Haemostatic forcepss Halstead mosquito, straight Half matt 1x2 teeth 5in (125mm)			50 nos

11	Ultrafine Haemostatic forcepss Halstead mosquito curved halfmatt 1x2 teeth 5in (125mm)		50 nos
----	---	--	--------

TERMS AND CONDITIONS EXCLUSIVELY FOR ORTHOPAEDICS IMPLANTS/INSTRUMENTS

01. Metal certificate should be furnished vouching for the type metal issued in manufacturing the item.
 02. Relevant ISO certification should be attached.
 03. Form 28 duly completed must be attached.
 04. Each item should be quoted complete. Part quotation will be not considered.
 05. Rates for plates should be quoted as per plate & not as per holes.
 - 06 Samples must be supplied for each item along with the tender. The samples will be retained till the Supply is effected.**
 - 07 .Affidavit that the firm has not been blacklisted in the past by any hospital/organization.
 08. Affidavit that similar supply has not been effected at lower rates to any Government Hospitals/Institutions.
 09. Quotation supplied directly by the Manufacturer or authorized distributor.
- The Tender will be summarily rejected if any one of the above conditions are not met with.

Sl. No.	Name of the Items	specification	Size/Range
I	Tenders not quoting for all items <i>or</i> not supplying entire range <i>or</i> without necessary samples will not be considered for the selection process.		
	I-3.5mm/4mm SYSTEM		
1	3.5 CORTEX SCREWS		10mm long
			12mm
			14mm
			16mm
			18mm
			20mm
			22mm
			24mm
2	DCP		2holes
			3 holes
			4 holes

		5 holes
		6 holes
		7 holes
		8 holes
		9 holes
		10 holes
		11 holes
		12 holes
3	LIMITED CONTACT-DCP3.5	4 holes
		5 holes
		6 holes
		7 holes
		8 holes
4	T PLATE 3.5 RIGHT ANGLED	3/3 (shaft/head) holes
		4/4 (shaft/head) holes
		5/3 (shaft/head) holes
		6/4 (shaft/head) holes
5	T-PLATE 3.5, OBLIQUE ANGLED	3/3 (shaft/head) holes
		4/3 (shaft/head) holes
		5/3 (shaft/head) holes
6	CLOVERLEAF PLATE	3 holes
		4 holes
		5 holes
		6 holes
7	CALCANEAL PLATE	60mm
		70mm
II- 4.5 SYSTEM		

4.5 SYSTEM: consisting of the following items. The entire range is to be supplied with a representative sample.			
Tenders not quoting for all items or not supplying the entire range or without necessary samples will not be considered			
1	4.5 CORTEX SCREWS NON SELF TAPPING		20mm
			22mm
			24mm
			26mm
			28mm
			30mm
			32mm
			34mm
			36mm
			38mm
			40mm
2	4.5 CORTEX SCREWS SELF TAPPING		20mm
			22mm
			24mm
			26mm
			28mm
			30mm
			32mm
			34mm
			36mm
			38mm
			40mm
3	DCP NARROW	FOR 4.5mm & 6.5mm SCREWS	2 holes
			3 holes
			4 holes
			5 holes
			6 holes
			7 holes
			8 holes
			9 holes

			10 holes
			11 holes
			12 holes
			13 holes
			14 holes
			15 holes
			16 holes
			17 holes
			18 holes
4	DCP BROAD	FOR 4.5mm & 6.5mm SCREWS	6 holes
			7 holes
			8 holes
			9 holes
			10 holes
			11 holes
			12 holes
			13 holes
			14 holes
			15 holes
			16 holes
			17 holes
			18 holes
5	LC DCP Broad Plate	FOR 4.5mm & 6.5mm SCREWS	2 holes
			3 holes
			4 holes
			5 holes
			6 holes
			7 holes
			8 holes
			9 holes
			10 holes
			11 holes
			12 holes
			13 holes
			14 holes

			15 holes
			16 holes
			17 holes
			18 holes
6	LC DCP Narrow	FOR 4.5mm & 6.5mm SCREWS	6 holes
			7 holes
			8 holes
			9 holes
			10 holes
			11 holes
			12 holes
			13 holes
			14 holes
			15 holes
			16 holes
			17 holes
			18 holes
III	HEMI PROSTHESIS The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	Bipolar Prosthesis		41 mm
			42 mm
			43 mm
IV	TOTAL HIP PROSTHESIS CHARNLEY TYPE The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	THR FEMORAL STEMS CHARNLEY TYPE	Heavy flanged	Offset 40;
			Offset 45;
		Round back	Offset 40;
			Offset 45;
		Round back narrow	Offset 40;

			Offset 45;
		CDH stem	
		Long neck	8"
			10"
			12"
2	THR ACETABULAR COMPONENTS	UHMWPE	37mm
			40mm
			43mm
			46mm
			48mm
			52mm
3	BONE CEMENT	Cement - 1 (Genta)	40 gms pack
		Cement - 3 (Genta)	40 gms pack
V	MODULAR BIPOLAR HIP PROSTHESIS The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	MODULAR FEMORAL stems	Small 135mm	41mm
			43mm
			45mm
			47mm
		Medium 138mm	41mm
			43mm
			45mm
			47mm
		Large 145mm	41mm
			43mm
			45mm
			47mm
2	BIPOLAR HEADS	Short Neck (0 mm)	39mm
			41mm
			43mm
			45mm
			47mm

			49mm
			51mm
		Standard Neck (5 mm)	39mm
			41mm
			43mm
			45mm
			47mm
			49mm
			51mm
		Long neck 8 mm	39mm
			41mm
			43mm
			45mm
			47mm
			49mm
			51mm
VI	TIBIAL INTER LOCKING SYSTEM: consisting of the following items. The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	TIBIAL INTERLOCK NAIL	8mm	30mm
		8mm	32mm
		8mm	34mm
		8mm	36mm
		9mm	30mm
		9mm	32mm
		9mm	34mm
		9mm	36mm
		10mm	30mm
		10mm	32mm
		10mm	34mm
		10mm	36mm
2	3.9 MM LOCKING BOLT SELF TAPPING		20mm
			22mm

			24mm
			26mm
			28mm
			30mm
			32mm
			34mm
			36mm
			38mm
			40mm
			42mm
			44mm
			46mm
			48mm
			50mm
			52mm
			54mm
			56mm
			58mm
			60mm
	PLEASE INDICATE THE NUMBER OF NAILS TO BE PURCHASED IN ORDER FOR THE BASIC INSTRUMENTATION		
	TO BE PROVIDED FREE OF COST		
VII	FEMORAL INTER LOCKING SYSTEM: consisting of the following items. The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	FEMUR INTERLOCK NAIL	9mm	34mm
		9mm	36mm
		9mm	38mm
		9mm	40mm
		9mm	42mm
		9mm	44mm
		9mm	46mm
		10mm	34mm
		10mm	36mm
		10mm	38mm

		10mm	40mm
		10mm	42mm
		10mm	44mm
		10mm	46mm
		11mm	34mm
		11mm	36mm
		11mm	38mm
		11mm	40mm
		11mm	42mm
		11mm	44mm
		11mm	46mm
2	SUPRACONDYLAR NAIL	9mm	15cm
		9mm	20cm
		9mm	25cm
		10mm	15cm
		10mm	20cm
		10mm	25cm
		11mm	15cm
		11mm	20cm
		11mm	25cm
		12mm	15cm
		12mm	20cm
		12mm	25cm
3	4.9 MM LOCKING BOLT SELF TAPPING		20mm
			22mm
			24mm
			26mm
			28mm
			30mm
			32mm
			34mm
			36mm
			38mm
			40mm
			42mm
			44mm

			46mm
			48mm
			50mm
			52mm
			54mm
			56mm
			58mm
			60mm
			62mm
			64mm
			66mm
			68mm
			70mm
			72mm
			74mm
			76mm
			78mm
			80mm
PLEASE INDICATE THE NUMBER OF NAILS AND LOCKING BOLTS TO BE PURCHASED IN ORDER FOR THE BASIC INSTRUMENTATION			
TO BE PROVIDED FREE OF COST			
VIII	HUMERAL INTER LOCKING SYSTEM: consisting of the following items. The entire range is to be supplied with a representative sample.		
Tenders not supplying entire range or without necessary samples will not be considered for the selection process.			
1	HUMERUS INTERLOCK NAIL	6mm	26mm
		6mm	28mm
		6mm	30mm
		6mm	32mm
		7mm	26mm
		7mm	28mm
		7mm	30mm
		7mm	32mm
		8mm	26mm
		8mm	28mm

		8mm	30mm
		8mm	32mm
2	3.4 MM LOCKING BOLT SELF TAPPING		28mm
			30mm
			32mm
			34mm
			36mm
			38mm
			40mm
PLEASE INDICATE THE NUMBER OF NAILS TO BE PURCHASED IN ORDER FOR THE BASIC INSTRUMENTATION			
TO BE PROVIDED FREE OF COST			
IX	PFN INTER LOCKING SYSTEM: consisting of the following items. The entire range is to be supplied with a representative sample.		
Tenders not supplying entire range or without necessary samples will not be considered for the selection process.			
1	PROXIMAL FEMORAL NAIL	125°, 250 mm Length	9mm
		125°, 250 mm Length	10mm
		125°, 250 mm Length	11mm
		125°, 300 mm Length	9mm
		125°, 300 mm Length	10mm
		125°, 300 mm Length	11mm
		125°, 350 mm Length	9mm
		125°, 350 mm Length	10mm
		125°, 350 mm Length	11mm
2	8.0mm CANNULATED LOCKING BOLT		50mm

		55mm
		60mm
		65mm
		70mm
		75mm
		80mm
		85mm
		90mm
		95mm
		100mm
		105mm
		110mm
3	6.4mm CANNULATED LOCKING BOLT	50mm
		55mm
		60mm
		65mm
		70mm
		75mm
		80mm
		85mm
		90mm
		95mm
		100mm
		105mm
		110mm
4	4.9mm Locking Bolt self tapping	28mm
		30mm
		32mm
		34mm
		36mm
		38mm
		40mm
		42mm
		44mm
		46mm
		48mm

			50mm
			52mm
			54mm
			56mm
			58mm
			60mm
			62mm
			64mm
			66mm
			68mm
			70mm
			72mm
			74mm
			76mm
			78mm
			80mm
PLEASE INDICATE THE NUMBER OF NAILS TO BE PURCHASED IN ORDER FOR THE BASIC INSTRUMENTATION			
TO BE PROVIDED FREE OF COST			
X	RECONSTRUCTION FEMORAL NAIL INTER LOCKING SYSTEM: consisting of the following items. The entire range is to be supplied with a representative sample.		
Tenders not supplying entire range or without necessary samples will not be considered for the selection process.			
1	FEMORAL NAIL	300mm	9mm
			10mm
			11mm
			12mm
		320mm	9mm
			10mm
			11mm
			12mm
		340mm	9mm
			10mm
			11mm
			12mm

		360mm	9mm
			10mm
			11mm
			12mm
		380mm	9mm
			10mm
			11mm
			12mm
		400mm	9mm
			10mm
			11mm
			12mm
		420mm	9mm
			10mm
			11mm
			12mm
		440mm	9mm
			10mm
			11mm
			12mm
		460mm	9mm
			10mm
			11mm
			12mm
		480mm	9mm
			10mm
			11mm
			12mm
2	Canulated hip screws for recon nail		55mm
			60mm
			65mm
			70mm
			75mm
			80mm
			85mm
			90mm

			95mm
			100mm
			105mm
			110mm
	PLEASE INDICATE THE NUMBER OF NAILS TO BE PURCHASED IN ORDER FOR THE BASIC INSTRUMENTATION		
	TO BE PROVIDED FREE OF COST		
X	EXTERNAL FIXATION FOR METACARPAL/ FOREARM(AUESCULAP TYPE):Set consisting of the following items.		
	The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	Clamp 2.5 x 4mm		
2	Clamp 4 x 4mm		
3	4mm rods	10cm	
		15cm	
		20cm	
		25cm	
4	Schanz pins	2.5 x 10cms	
		3.5 x 15cms	
5	Spanner	8 mm	
6	Stainless steel drill bits	2mm	
		2.5mm	
XI	EXTERNAL FIXATION FOR METACARPAL/ FOREARM(AO TYPE): Set consisting of the following items.		
	The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	AO Type Clamp 2.5 x 4mm		
2	AO Type Clamp 4 x 4mm(with rod to rod)		
3	4mm rods	10cm	
		15cm	
		20cm	
		25cm	
4	Schanz pins	2.5 x 10cms	

		3.5 x 15cms	
5	Spanner	8 mm	
6	Stainless steel drill bits	2mm	
		2.5 mm	
XII	EXTERNAL FIXATION FOR TIBIA/FEMUR/HIMERUS(AUESCULAP TYPE): Set consisting of the following items.		
	The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	Clamp 4.5 x 8mm		
2	Rod to rod clamp 8 x 8 mm		
3	8 mm rods	25cm	
		30cm	
		35cm	
		40cm	
		45cm	
		50cm	
		60cm	
4	Schanz pins	4.5 x 20cms	
5	Spanner	10 mm	
6	Stainless steel drill bits	Extra long 3.2mm	
		Extra long 4.5 mm	
XIII	EXTERNAL FIXATION FOR TIBIA/FEMUR/HUMERUS (AO TYPE): Set consisting of the following items.		
	The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	A.O. Type Clamp 4.5 x 11 mm		
2	Rod to Rod Clamp 11 x 11 mm		
3	A. O. Type Double Pin Clamp 4.5 x 11 mm		
4	Universal Joint for Two Rods		
5	Transverse Clamp Pin Adjustable		

6	11 mm rods	25cm	
		30cm	
		35cm	
		40cm	
		45cm	
		50cm	
		60cm	
7	Schanz pins	4.5 x 20cms	
8	Spanner	11 mm	
9	Stainless steel drill bits	Extra long 3.2mm, 4.5 mm	
XIV	PELVIC FIXATOR: Set consisting of the following items.		
	The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	Single Pin clamps		2 sets
2	Tube to tube clamp		
3	Tubular rods	25cms	
		30cms	
XV	ILIZAROV SYSTEM:Set consisting of the following items.		
	The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	Half ring		140mm
			160mm
			180mm
2	Full ring		140 mm
			160mm
			180mm
3	5/8 ring		140mm
			160mm
			180mm
4	Italian femoral arch		90°
			120°
5	Hinges	Male end	1 hole
		Female end	1hole

		90° hinges	
6	Posts	Male:	1 hole
			2 holes
			3 holes
			4 holes
		Female:	1 hole
			2 holes
			3 holes
			4 holes
7	Oblique support		
8	connection plate		2 holes
			3 holes
			4 holes
			5 holes
			6 holes
			7 holes
			8 holes
			9 holes
			10 holes
			11 holes
			12 holes
9	Twisted plate		1 hole
			2 holes
			3 holes
			4 holes
10	Ring Connecting Bolt and nut		
11	Wire Fixation Bolt (Side Slotted)		
12	Wire Fixation Bolt (Centre Hole)		
13	Washer	Simple	
		Slotted	
14	Ilizarov K wires	tension	1.5mm x 400mm
			1.8mm x 400mm
XVI	ARTHROSCOPIC SCREWS : consisting of the following items.		
	The entire range is to be supplied with a representative sample.		

	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	ACL interference screws(Stainless Steel)	7mm dia	25mm length
		7mm dia	30mm length
		7mm dia	35mm length
		8mm dia	25mm length
		8mm dia	30mm length
		8mm dia	35mm length
		9mm dia	25mm length
		9mm dia	30mm length
		9mm dia	35mm length
2	Reverse cutting ACL Interference screws	7mm dia	25mm length
		7mm dia	30mm length
		7mm dia	35mm length
		8mm dia	25mm length
		8mm dia	30mm length
		8mm dia	35mm length
		9mm dia	25mm length
		9mm dia	30mm length
		9mm dia	35mm length
XVII	SYNTHETIC BONE GRAFT: TRICALCIUM PHOSPHATE Based : consisting of the following items.		
	The entire range is to be supplied with a representative sample.		
	Tenders not supplying entire range or without necessary samples will not be considered for the selection process.		
1	Granules	Sachets of 2.5cc	
		Sachets of 5.5cc	
		Sachets of 10cc	
2	Blocks	Saachets 5x5x10mm	
		Sachets 20x20x10mm	

XVIII	PINS AND WIRES. The entire range is to be supplied with a representative sample. Tenders not quoting for all items		
	or supplying entire range or without necessary samples will not be considered for the selection process.		
1	KIRSCHNER WIRES Double ended	1.5mm	10mm
			12mm
			14mm
			16mm
			18mm
			20mm
			22mm
			24mm
			26mm
			28mm
			30mm
			32mm
			34mm
			36mm
		2.0mm	10mm
			12mm
			14mm
			16mm
			18mm
			20mm
			22mm
			24mm
			26mm
			28mm
			30mm
			32mm
			34mm
			36mm
		2.5mm	10mm
			12mm
			14mm
			16mm

			18mm
			20mm
			22mm
			24mm
			26mm
			28mm
			30mm
			32mm
			34mm
			36mm
2	KIRSCHNER WIRES Trocar tip	1.0mm	400mm
		1.2mm	400mm
		1.6mm	400mm
		1.8mm	400mm
		2.0mm	400mm
3	KIRSCHNER WIRES Threaded tip	1.2mm Thread length 5mm	150 mm
		1.6mm Thread length 5mm	150 mm
		1.8mm Thread length 15mm	150 mm
		2.0mm Thread length 15mm	150 mm
		2.5mm Thread length 15mm	150 mm
4	SS cerclage wires in spools	500 cm length	18 SWG
			20 SWG
5	STEINMAN PIN	Trocar tip	3mm x 125mm
			3mm x 150mm
			3.5mm x 125mm
			3.5mm x 150mm

			4.0mm x 150mm
			4.0mm x 200mm
			4.5mm x 150mm
			4.5mm x 200mm
			4.5mm x 250mm
			5.0mm x 150mm
			5.0mm x 200mm
			5.0mm x 250mm
			5.0mm x 300mm
		Drilling tip	4.5mm x 150mm
			4.5mm x 200mm
			4.5mm x 250mm
			5.0mm x 150mm
			5.0mm x 200mm
			5.0mm x 250mm
			5.0mm x 300mm
XIX	SPINE SYSTEM		
1	Titanium top opening, monoaxial pedicle screws	4mm x 25mm	4 no. each
		4mm x 30mm	4 no. each
		4mm x 35mm	4 no. each
		4mm x 40mm	4 no. each

		4mm x 45mm	4 no. each
		4mm x 50mm	4 no. each
		5mm x 25mm	4 no. each
		5mm x 30mm	4 no. each
		5mm x 35mm	4 no. each
		5mm x 40mm	4 no. each
		5mm x 45mm	4 no. each
		5mm x 50mm	4 no. each
		5.5mm x 25mm	4 no. each
		5.5mm x 30mm	4 no. each
		5.5mm x 35mm	4 no. each
		5.5mm x 40mm	4 no. each
		5.5mm x 45mm	4 no. each
		5.5mm x 50mm	4 no. each
		6mm x 25mm	4 no. each
		6mm x 30mm	4 no. each
		6mm x 35mm	4 no. each
		6mm x 40mm	4 no. each
		6mm x 45mm	4 no. each
		6mm x 50mm	4 no. each
		6.5mm x 25mm	4 no. each
		6.5mm x 30mm	4 no. each
		6.5mm x 35mm	4 no. each
		6.5mm x 40mm	4 no. each
		6.5mm x 45mm	4 no. each
		6.5mm x 50mm	4 no. each
2	Titanium top opening, polyaxial pedicle screws	4mm x 25mm	4 no. each
		4mm x 30mm	4 no. each
		4mm x 35mm	4 no. each
		4mm x 40mm	4 no. each
		4mm x 45mm	4 no. each
		4mm x 50mm	4 no. each
		5mm x 25mm	4 no. each
		5mm x 30mm	4 no. each
		5mm x 35mm	4 no. each
		5mm x 40mm	4 no. each

		5mm x 45mm	4 no. each
		5mm x 50mm	4 no. each
		5.5mm x 25mm	4 no. each
		5.5mm x 30mm	4 no. each
		5.5mm x 35mm	4 no. each
		5.5mm x 40mm	4 no. each
		5.5mm x 45mm	4 no. each
		5.5mm x 50mm	4 no. each
		6mm 25mm	4 no. each
		6mm x 30mm	4 no. each
		6mm x 35mm	4 no. each
		6mm x 40mm	4 no. each
		6mm x 45mm	4 no. each
		6mm x 50mm	4 no. each
		6.5mm x 25mm	4 no. each
		6.5mm x 30mm	4 no. each
		6.5mm x 35mm	4 no. each
		6.5mm x 40mm	4 no. each
		6.5mm x 45mm	4 no. each
		6.5mm x 50mm	4 no. each
3	Titanium rods	5mm x 50mm	2 no. each
		5mm x 60mm	2 no. each
		5mm x 70mm	2 no. each
		5mm x 80mm	2 no. each
		5mm x 90mm	2 no. each
		5mm x 100mm	2 no. each
		5mm x 110mm	2 no. each
		5mm x 120mm	2 no. each
		5mm x 130mm	2 no. each
		5mm x 140mm	2 no. each
		5mm x 150mm	2 no. each
		5mm x 200mm	2 no. each
		5mm x 250mm	2 no. each
		5mm x 300mm	2 no. each
4	Titanium cages	Diameter 12mm	
		14mm	
		16mm	

		18mm	
XX	MISCELLANEOUS		
	ITEMS	Specification	Requirements
1	Fibre glass synthetic casting tape	7.5cm width x 3.7 mtr	50 nos
		10cm width x 3.7 mtr	50 nos
		12cm width x 3.7 mtr	50 nos
2	Bone staples	all sizes	single pack
3	Skin graft blades (Compatible to Humby's handle)		single pack
4	Weck closure system consisting of		set
	Ligating clips		25 packets
	Clip applier		5 no.
5	Suture anchors with applicator		set
6	Operative site steridrape	90CMX45CM	50
		60CMX45CM	50
7	Asepto syringe-plasto material		20 no.
8	Disposable suction tube with cannula		20 no.
9	Lubricant oil for instruments and drill,etc. cleaning	500 ml	20 no.
10	Hot air gun for drying equipment		1 NO
	PMRC A & C WARD ITEMS		
11	Artery forceps	CRILE Model No.SI 969/a - Straight-14cm	10 Nos
		SI 969/b-Curved-14 cm	10 Nos
12	Dressing forceps	Standard Model SI 1096/a-11cm	10 Nos
13	Tissue forceps	Stille-Model No.SI 1128 -15 cm	20 Nos

14	Pulse Oximeter	MIC-200-Philips with led display AC & Battery	
		Operated SPo2 & Pulse Rate Monitor-Low Perfusion	1 No
		pick up -Dum colour bar graph	
15	Electric POP cutter		4 Nos
16	Hair Trimmer		10 Nos
17	Traction rope		50 mtrs
18	Wooden pully & steel pully		50 Nos
19	Chettle forceps jar		5 Nos
20	Skin staple remover		100 Nos
21	Foot block	Dimensions-10 x 10 x 10 cms	10 Nos
		Dimensions-15 x 10 x 10 cms	10 Nos
22	Weights	1/2 kgs	10 Nos
		1.0 kgs	10 Nos
		2.0 kgs	10 Nos
23	Uro condom	Small	50 Nos
		Medium	50 Nos
		Large	50 Nos
24	Ounce glass -PVC		5 Nos
25	Iram glass -PVC		5 Nos
26	Motor pestel-Medicine crusing set		1 No
27	Glucose stick-	code no 40	50 boxes
28	Uro stick (Qic & check)		1 box
29	Gauze cutting scissors	Heavy with brass handle	2 Nos
30	Oxygen tent	Small	1 No
		Medium	1 No
31	Water purifier		1 No

